

**Maharashtra University of Health Sciences, Nashik Inspection
Committee Report for Academic Year 2026-2027**

Clinical Material in Hospital

**Name of College/Institute Dr Panjabrao Deshmukh Nursing Institute, Amravati Faculty -
Nursing**

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	<p>The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.)</p> <p>To be made available on web site</p>	Yes	
a.	<p>Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site</p>	Yes	
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual		
c.	Average Bed Occupancy in % : (Minimum 75%)		
d.	Clinical facilities for PG to be verified:-(As per MSR)		
	<p>(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) - 482134 (iv) Average Number of Delivery (Current year) - 1774 (v) Average Number of abnormal Delivery (Current year)- 06</p>		
	<ul style="list-style-type: none"> • As per Central Council Norms/ University Norms, above Infrastructure must be available at College. • If Infrastructure is available, then mark "Adequate" & do not attach any Documents it should be available on college website • In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report 		

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief
Any Other, Please Specify:-

Date:-

VP 11/02/26
Dean/ Principal Stamp & Signature
Dr. Panjabrao Deshmukh
Nursing Institute, Amravati

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437

Fax: 24023516

Website: <http://mpcb.gov.in>

Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

RED/L.S.I

No:- Format1.0/CAC/UAN No.MPCB-
CONSENT-0000210383/CE/2505004050

Date:
29/05/2025

To,
Dr. Panjabrao Deshmukh Medical College & Hospital,
Plot no. 26 and Plot no. 32, Shivaji Nagar, Amravati,
Tal. & Dist; Amravati.

Email:drpdhrc2015@rediffmail.com
Contact No.:9922445885



Grant of Renewal of Combined of consent to operate and BMW Authorization under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref:

1. Previous combined consent to operate & BMW authorization vide No. Format1.0/CAC/UAN No. 110485/CR/2109000310, dated 09.09.2021 which was valid up to 31.05.2024
2. Your application for Combined Consent and Bio-Medical Authorization UAN No. 00000210383
3. Minutes of Consent Appraisal Committee dated 24.09.2024
4. Show Cause Notice for Refusal of Renewal of CCA vide dtd. 09.10.2024
5. Reply of the Show Cause Notice for Refusal of CCA on 19.12.2024
6. Minutes of Consent Appraisal Committee dated 07.01.2025 & 14.01.2025
7. Minutes of the Personal Hearing extended on 15.04.2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant of Renewal of combined consent to operate and BMW Authorization to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **31-05-2024** To **31-08-2027**
2. The capital investment of the HCF is **₹24.59** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF AreaHCF Area : - Plot Area 49703.00 M² with Built-up area 19746.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **670 Nos.** (As per BNH certificate no. AMCPHDFWNH782022 valid upto 31-03-2025)

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 316.5 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

Conditions under Hazardous and Other Wastes(Management, Handling &**7. Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UoM	Disposal
1	35.3 Chemical sludge from waste water treatment	35.3	3.0	Kg/Day	CHWTSDF

8. Conditions about Non Hazardous Wastes:-

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Wet Waste	615	Kg/Day	composting	At dumping site of Municipal Corporation
2	Dry Waste	150	Kg/Day	Drying	At dumping site of Municipal Corporation

9. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

10. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Global Eco Save Systems, Amaravati** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.

3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

11. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
12. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
13. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
14. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
15. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
16. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
17. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
18. HCE shall not operate additional 160 beds till to obtain Environmental Clearance as per EIA Notifications, 2006 & its further amendments and consent to establish from the Board.
19. HCE shall operate ETP and STP scientifically so as to achieve the consented standards.
20. HCE shall not carryout further construction work for expansion till to obtain Environmental clearance from competent authority and consent to establish for expansion-CCA from the Board and shall submit the details of construction started / commenced.
21. HCE shall pay the requisite fees for CCA, penal charges for expansion and BG interest, whichever applicable.
22. HCE shall comply with the minutes of the personal hearing and shall comply with the Bio-Medical Waste Management Rules, 2016 as amended.
23. PP shall renew the membership of CBMWTDF for disposal of Bio Medical Waste as per BMW Management Rules, 2016 before expiring the earlier membership.
24. PP shall renew the registration of certificate under Bombay Nursing Home Registration (Amendment) Act, 2005 before expiring the earlier membership.

25. HCE shall obtain membership of CHWTDF for disposal of 35.3-Hazardous waste i.e. ETP sludge within 3 months period.

26. HCE authority shall recycle 60% treated effluent for secondary purposes like Toilet Flushing, floor washing, fire frightening, etc and remaining shall be used on land for gardening.

27. This CCA is issued in pursuant to the Minutes of the Personal Hearing extended on 15.04.2025.

28. HCE shall provide the sufficient land for disposal of treated effluent.

29. You shall submit the bank guarantee of INR 3.75 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Amravati within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

30. The industry / HCE shall create an Environment Cell by appointing an Environmental Engineer / Expert for looking after day-to-day activities related to Environment / Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Avinash

e5bd87fe
66992df4
2e14eb46
d3d0fc6d
7788db72
f0740fd9
1fd15137
d1ee6522

Generated by 

Signed by: Dr.Avinash Dhakne
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2025-05-29 13:02:20 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	100000.00	TXN2405004873	25/05/2024	Online Payment
2	475000.00	TXN2410002097	14/10/2024	Online Payment
3	82877.00	TXN2410002098	14/10/2024	Online Payment
4	107877.00	TXN2505005837	27/05/2025	Online Payment

Copy to:

1. Regional Officer, MPCB, Amravati and Sub-Regional Officer, MPCB, Amravati
 - They shall issue necessary Directions for not to operate additional 160 beds and stop work direction for ongoing construction work by following the due procedure.
 - SRO - Amravati- I is directed to verify the construction details and initiate legal action against construction work completed without Environmental clearance as per EIA Notifications, 2006 amended and without the Board's Consent to Establish (CCA) for expansion.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	301.50
3.	Pathology Laboratory, Floor washing, Operation Theater	15.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	241.2	As per clause 'C'	Treated effluent shall be recycled 60% for secondary purposes like Toilet Flushing, floor washing, fire frightening, etc and remaining shall be used on land for gardening
2	Trade effluent	13.6	As per clause 'C'	Treated effluent shall be recycled 60% for secondary purposes like Toilet Flushing, floor washing, fire frightening, etc and remaining shall be used on land for gardening

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG Set 472.5 KVA	Diesel	30.00 Lit/Day	20.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- D.G. Set shall be operated only in case of power failure.
- The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	245.50	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	591.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	93.00		
		h) Microbiology Biotechnology and other clinical laboratory waste	65.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	1143.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
3	White (Translucent)	Waste sharps including Metals	551.40	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
4	Blue	a) Glassware	735.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Metallic body implants	0.00		

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Global Eco Save Systems, Amaravati** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Amravati and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A Operation and Maintenance			
1	To Segregate and Handle BMW as per Rule and CCA conditions	Continuous	100,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	100,000.00
1B Records			
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	25,000.00
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	25,000.00
2 Performance			
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	75,000.00
2	To obtain Membership of CHWTSDF for to dispose ETP sludge	Continuous	50,000.00
Total			3,75,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Amravati.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.

15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

AMRAVATI MUNICIPAL CORPORATION



FORM 'C'
(See Rule 5)

CERTIFICATE OF REGISTRATION UNDER
SECTION 5 OF THE BOMBAY NURSING HOME
REGISTRATION ACT, 1949

No. AMC/PHD/FW/NH/ 78 /2025

This is to certify that Shri/Smt. Dean Dr. A. T. Deshmukh.....
has been registered under the Bombay Nursing Homes Registration Act. 1949 in
respect of Dr. Panjabrao. Alias. Bhausaheb Deshmukh Memorial Medical College & Hospital
situated at Shivaji Nager, Panchavati Square, Amravati.....
and has been authorised to carry on the said nursing home.

Registration No. 78.....

Bed : 6.70..... Maternity : 7.0..... other Nursing Patients : 6.00..... (Total Bed: Six hundred Seventy)

Date of registration / Renewal 1-4-2025.....

Place Shivaji Nager..... Amravati

Date of Issue of Certificate : 30-7-2025.....

This Certificate of registration shall be valid upto 31 march. 2028



Municipal Corporation, Amravati.

महाराष्ट्र नुस्खा #

अप्पा शाह महाराष्ट्राचा प्रस्तावात तपाशील नस्तीन होम
मिनी फेवा १९४९ व त्यापासून ठेंडोरीकी इकाईचा
पुढीलाचा नाम तपाशील इकाई रुदी आढळून त्रिहयाच्या
प्रतिक्रिया/प्रतिक्रिया रुदी आढळून त्रिहयाच्या अधिकार संस्करणातून
तपाशील इकाईचा नेमगाळ येत आहे.

सुचना : अनिश्चित व इलेक्ट्रोनिक ना हरकत प्रमाणपत्र मुदतीमध्ये नुतनीकरण करून घेणे बंधनकारक राहील.
अन्यथा NOC चे मुदती दिनांकासोबत या प्रमाणपत्राची वैधता संपुष्टात येईल याची नोंद घ्यावी.

Signature of the registering authority
&

Medical Officer of Health
Municipal Corporation, Amravati

GOVT OF MAHARASHTRA

ORIGINAL



Public Health Department
 (PRE-CONCEPTION AND PRE-NATAL DIAGNOSTIC TECHNIQUES)
 (PROHIBITION OF SEX SELECTION) ACT, 2003
 SCHEDULE III

CERTIFICATE OF REGISTRATION

1. In exercise of powers conferred under Sec. 19 (1) of Pre-natal Diagnostic Technique (Regulation) and Prevention of Misuse) Act, 1994, (57 of 1994), the Appropriate Authority ~~Medical officer of Health Municipal Corporation Amravati~~ hereby grants registration to the Genetic Counseling Center/Genetic Laboratory/Genetic Clinic named below purposes of carrying out Genetic Counseling Per-natal Diagnostic Procedures/Pre-natal Diagnostic Tests as defined in the aforesaid Act for a period of five years ending on 5-1-2027

2. This registration is granted subject to the aforesaid Act and Rules there under and any contravention hereof shall result in suspension or cancellation of this Certificate of Registration before the expiry of the said period of five years.

A. Name and address of the Genetic Counselling Centre/Genetic Laboratory/Genetic Clinic/Ultrasound
 Dr. Panjabrao Deshmukh Medical College Hospital & Research Centre
 Shriraj Nager Amravati

B. Name of Applicant for Registration Dr. A.T. Deshmukh

C. Pre-natal diagnostic procedures approved for (Genetic Clinic).

<input checked="" type="checkbox"/> (1) Ultrasound	(2) Amniocentesis
<input checked="" type="checkbox"/> (3) Chorionic villi biopsy	(4) Foetoscopy
<input checked="" type="checkbox"/> (5) Foetal skin or organ biopsy	(6) Cordocentesis
(7) Any other (specify)	

D. Pre-natal diagnostic tests approved (for Genetic Laboratory)

(1) Chromosomal Studies	(2) Biochemical Studies
<input checked="" type="checkbox"/> (3) Molecular studies	<u>1. Logiq Pg R3 Sr. NO - LP9003461</u>

3. Model and make of equipments being used 2. MRI - Magnet Monitor Sr. NO - ALG 2002672

4. Registration No. allotted 15 3. BPL - E Cube 8 LE Sr. NO - 203511

5. Period of validity of Registration 5 Years From 1 Oct. 2022 To 5-1-2027

Date 17-2-2022

SEAL

Appropriate Authority
 Medical Officer of Health
 Municipal Corporation, Amravati.

AMRAVATI MUNICIPAL CORPORATION



FORM 'C'
(See Rule 5)



CERTIFICATE OF REGISTRATION UNDER SECTION 5 OF THE BOMBAY NURSING HOME REGISTRATION ACT, 1949

No. AMC/PHD/FW/NH/ 336/2024

This is to certify that Shri/Smt. Dr. Yashodhan D. Bodhankar, Project Co-ordinator
Jan Kalyan Seva Sanstha Amravati
has been registered under the Bombay Nursing Homes Registration Act, 1949 in
respect of Dr. Hrudaylal H. Hedgewar Institute of Medical Sciences & Research
(BMCCU)
situated at Nanda Market, Rajapeth, Amravati
and has been authorised to carry on the said nursing home.

Registration No. 336

Bed : 25 Maternity : Nil other Nursing Patients : 25 (Total-Twenty five Bed)

Date of registration / Renewal : 1-4-2024

Place Nanda Market - Rajapeth, Amravati


Date of Issue of Certificate : 7-8-2024

This Certificate of registration shall be valid upto 31 march 2027

Municipal Corporation Amravati.



महाराष्ट्र शुद्धीना
आणग नाना केलेल्या प्रस्तावात नागरिक हीम
निवारण १९४९ व द्यावंतीपत्र दत्तदेवी शालेल्या
पुस्तकानुसार नागरिक हीम प्रकारसी शुद्धी आवश्यक आवश्यक
प्राप्ती नुसारीकरण या अवलम्बनावाची आवश्यक गरुन बेळुन
महाराष्ट्र प्राविधिक द्रष्टव्य गोत आहे.


Signature of the registering authority

&
Medical Officer of Health
Municipal Corporation, Amravati


सुविळा : अनिश्चयन व इलेक्ट्रोनिक ना हरकत प्रमाणपत्र मुदतीमध्ये नुतनीकरण करून घेणे बंधनकारक राहील.
अन्यथा NOC वे मुदती दिनांकासोबत या प्रमाणपत्रावी वैधता संपुष्टात येईल याची नोंद घ्यावी.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0721-2563593
Fax: 0721-2563597
Website: <http://mpcb.gov.in>
Email:
sroamravati1@mpcb.gov.in



Sahkar Surbhi Bapatwadi,
Near Vivekanand Colony,
Amravati- 444606



ORANGE/S.S.I
No:- Format1.0/SRO/UAN No.0000264840/CO/2512001554

Date: 17/12/2025

To,
M/s. Jankalyan Seva Sansthan Dr Hedgewar Institute
of Medical Science And Research BMCCU
Ganesh Vihar Society, Saturna Sai NAgar, Amravati (M
Corp.)
,Amravati-444607
Email:caojankalyansevasanstha@gmail.com
Contact No.:7276686627



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M-& TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. MPCB-CONSENT-0000264840 dated 04/11/2025.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **30-11-2025** To **30-11-2028**
2. The capital investment of the HCF is **₹50 Lakhs** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF AreaHCF Area : - Plot Area 350.00 M² with Built-up area 328.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **25 Nos.** (As per BNH certificate no. AMC3362024 valid upto 31-03-2027)
 - I. General Beds : **10 Nos**
 - II. ICCU/ICU Beds : **13 Nos**
 - III. Other Beds : **2 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**



महाराष्ट्र राज्य नियंत्रण मंडळ

Global Eco Save Systems

118, First Floor, Shree Balaji Market, Jawahar Road, Amravati- 444601
Maharashtra, India

Office No.: 0721-2565493, Mobile No.: +91-9371173345

Email: globalecos12@gmail.com Web: <https://globaleco12.cbwtf.in>



Unique Registration No.: 2608



Offline QR

Outward No.: OW/Cer/2025-26/1642



Online QR

Date : 03-Jan-2026

Registration Certificate



This is to certify that, DR. HEDGEWAR INSTITUTE OF MEDICAL SCIENCES & RESEARCH BMCCU, NANDA MARKET, KANWAR NAGAR ROAD, RAJAPETH, AMRAVATI is registered with M/s Global Eco Save Systems, for management of Bio Medical waste in accordance with, the provision of Bio Medical Waste Management rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1	Authorized Person of HCE (Name and Designation)	:	DR.YASHODHAN D. BODHANKAR
2	Bombay Nursing Home Act Registration Details		
a.	BNH Registration No	:	AMC-336
b.	BNH Issue Date	:	07-Aug-2024
c.	Total Number of Beds	:	25
d.	BNH validity (Form 'C')	:	31-Mar-2027
3	Common Treatment Facility Registration Details		
a.	Date of Registration	:	01-Oct-2021
b.	No. of Beds Registered	:	25
c.	Issue Date	:	01-Jan-2026
d.	Registration Validity	:	30-Jun-2026
4	Renewal of CTF Membership (if applicable)		
a.	Renewal Date	:	30-Jun-2026
b.	No. of Beds	:	25
5	MPCB Consents (Establish/ 1st Operator/Renewal Details)		
a.	Consent / CCA Number	:	0000264840
b.	Issue Date	:	17-Dec-2025
c.	Validity upto	:	30-Nov-2028



Authorized Signature

Name : Kamlesh S. Bharani
Designation : Partner

Note: HCF shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.

GOVT OF MAHARASHTRA

ORIGINAL



सत्यमेव जयते



Public Health Department (PRE-CONCEPTION AND PRE-NATAL DIAGNOSTIC TECHNIQUES) (PROHIBITION OF SEX SELECTION) ACT, 2003 SCHEDULE III

CERTIFICATE OF REGISTRATION

1. In exercise of powers conferred under Sec. 19 (1) of Pre-natal Diagnostic Technique (Regulation) and Prevention of Misuse) Act, 1994, (57 of 1994), the Appropriate Authority **Medical Officer of Health Municipal Corporation Amravati** hereby grants registration to the Genetic Counseling

Center*/Genetic Laboratory*/Genetic Clinic named below purposes of carrying out Genetic Counseling Per-natal Diagnostic Procedures*/Pre-natal Diagnostic Tests as defined in the aforesaid Act for a period of five years ending on **21-12-2026**

2. This registration is granted subject to the aforesaid Act and Rules there under and any contravention hereof shall result in suspension or cancellation of this Certificate of Registration before the expiry of the said period of five years.

A. Name and address of the Genetic Counselling Centre*/Genetic Laboratory*/Genetic Clinic*/Ultrasound **Dr. Hedgewar Institute of Medical Sciences & Research (BMCCU) Nanda Manket Rajapeth Amravati**

B. Name of Applicant for Registration **Dr. Yashodhan D. Bodhankar (MS)**
..... **Project Co-ordinator Janakalyan Seva Sanstha Amravati**

C. Pre-natal diagnostic procedures approved for (Genetic Clinic).

<input checked="" type="checkbox"/> (1) Ultrasound	<input type="checkbox"/> (2) Amniocentesis
<input checked="" type="checkbox"/> (3) Chorionic villi biopsy	<input type="checkbox"/> (4) Foetoscopy
<input checked="" type="checkbox"/> (5) Foetal skin or organ biopsy	<input type="checkbox"/> (6) Cordocentesis
<input checked="" type="checkbox"/> (7) Any other (specify) 2 D Echo	

Dr. Swapnil Deshmukh
MBBS DMRS
6.45 PM

Dr. Akshay D Dhere
MBBS MD DM

Dr. Rahul Kade MBBS MD DM
10 AM

Dr. Rachana Singh MBBS
3:30 PM
Dr. Vaibhav S. Patil MBBS
2:15 PM
Dr. Richard. M. B. D
Sr. No - 50YIM3HH6000024
11 AM

D. Pre-natal diagnostic tests approved (for Genetic Laboratory)

<input checked="" type="checkbox"/> (1) Chromosomal Studies	<input type="checkbox"/> (2) Biochemical Studies
<input checked="" type="checkbox"/> (3) Molecular studies	


3. Model and make of equipments being used **Samsung Model - U.S.S - SAX 7E 30 IN**

4. Registration No. allotted **170**

5. Period of validity of Registration **5 Year's** From **22-12-2021** To **21-12-2026**

Program
Machine Installed
Dt. 8/12/2022

Date **25-1-2022**



Appropriate Authority
Medical Officer of Health
Municipal Corporation, Amravati.

GOVT OF MAHARASHTRA

ORIGINAL



सत्यमेव जयते

Public Health Department

(PRE-CONCEPTION AND PRE-NATAL DIAGNOSTIC TECHNIQUES)

(PROHIBITION OF SEX SELECTION) ACT,2003

SCHEDULE III

CERTIFICATE OF REGISTRATION

1. In exercise of powers conferred under Sec. 19 (1) of Pre-natal Diagnostic Technique (Regulation) and Prevention of Misuse) Act, 1994, (57 of 1994), the Appropriate Authority, Medical Officer of Health Municipal Corporation Amravati hereby grants registration to the Genetic Counseling Center*/Genetic Laboratory*/Genetic Clinic named below purposes of carrying out Genetic Counseling Per-natal Diagnostic Procedures*/Pre-natal Diagnostic Tests as defined in the aforesaid Act for a period of five years ending on 17-12-2024

2. This registration is granted subject to the aforesaid Act and Rules there under and any contravention hereof shall result in suspension or cancellation of this Certificate of Registration before the expiry of the said period of five years.

A. Name and address of the Genetic Counselling Centre*/Genetic Laboratory*/Genetic Clinic*/Ultrasound

Dr. Hedgewar Institute of Medical Sciences & Research
1st Floor, Vaundev Sanaswali, Sankul Badnara Road

B. Name of Applicant for Registration Project Director Mudholkar Petri Amravati
Dr. Nageshwar Badhankar

C. Pre-natal diagnostic procedures approved for (Genetic Clinic).

(1) Ultrasound

(2) Amniocentesis

Dr. Sumeet S Patrakas

(3) Chorionic villi biopsy

(4) Foetoscopy

MBBS DMRS

(5) Foetal skin or organ biopsy

(6) Cordocentesis

(7) Any other (specify)

D. Pre-natal diagnostic tests approved (for Genetic Laboratory)

(1) Chromosomal Studies

(2) Biochemical Studies

(3) Molecular studies


3. Model and make of equipments being used Samsung Model - HS30 S. NO - SIVFM3HR 3000 27K

4. Registration No. allotted 116

5. Period of validity of Registration 5 Years From 18-12-2024 To 17-12-2029

W.M. 10/12/2024
Appropriate Authority
Medical Officer of Health
Municipal Corporation, Amravati.

Date 18-12-2024



AMRAVATI MUNICIPAL CORPORATION



FORM 'C'
(See Rule 5)

**CERTIFICATE OF REGISTRATION UNDER
SECTION 5 OF THE BOMBAY NURSING HOME
REGISTRATION ACT, 1949**

No. AMC/PHD/FW/NH/ 239 /2025

This is to certify that Shri/Smt. President...Janakalyan...Sewa...Sanstha.....
has been registered under the Bombay Nursing Homes Registration Act. 1949 in
respect of Dr. Hedgewar Institute of Medical Sciences & Research.....
situated at 1st. floor...Vasudev...Saraswati...Sankul...Bednara...Road.....
and has been authorised to carry on the said nursing home.

Registration No.239.....

Bed :16..... Maternity :02..... other Nursing Patients : ..14..... (Total Number Bed)

Date of registration / Renewal.....24-4-2025.....

Place ..Mudholka...peth..... Amravati

Date of Issue of Certificate :1-7-2025.....

This Certificate of registration shall be valid upto 31 march. 2028

Municipal Corporation, Amravati.



महाराष्ट्र राज्य सुनवाई कोर्ट
अपाय सादर केलेल्या प्रस्तावात तपासणीत नवीनी होणे
राज. अंक १९४९ व त्यांतील तेळोठेकी लालेल्या
तपासणीनुसार कोणत्याची इकारणी युटी असेही अल्पात
तपासणी/उत्तीर्णी या कामावाच अधिकार राज्यकालीन
तपासणीकामावाच देणे आहे.

Signature of the registering authority

&
Medical Officer of Health
Municipal Corporation, Amravati

सुनवा : अनिश्चयन व इलेक्ट्रोनिक ना हवकत प्रयोगपत्र मुदतीमध्ये नुसनीकरण करून देणे बंधनकारक राहील.
अन्यथा NOC वे मुदती दिनांकासोबत या प्रयोगपत्राची वैधता संपूर्णत येईल याची नोंद घ्यावी.





Global Eco Save Systems

118, First Floor, Shree Balaji Market, Jawahar Road, Amravati- 444601
Maharashtra, India
Office No.: 0721-2565493, Mobile No.: +91-9371173345
Email: globalecos12@gmail.com Web: <https://globaleco12.cbwtf.in>



Unique Registration No.: 0460



Offline QR



Online QR

Registration Certificate

Outward No.: OW/Cer/2025-26/1604

Date: 30-Dec-2025

This is to certify that, DR HEDGEWAR HOSPITAL, 1ST FLOOR WASUDEV SARSWATI SANKUL, MUDHOLKAR PETH BADNERA ROAD AMRAVATI is registered with Ms. Global Eco Save Systems, for management of Bio Medical waste in accordance with, the provision of Bio Medical Waste Management rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1	Authorized Person of HCE (Name and Designation)	: DR. HEDGEWAR HOSPITAL
2	Bombay Nursing Home Act Registration Details	
a.	BNH Registration No	: AMT-239
b.	BNH Issue Date	: 01-Jul-2025
c.	Total Number of Beds	: 16
d.	BNH validity (Form 'C')	: 31-Mar-2028
3	Common Treatment Facility Registration Details	
a.	Date of Registration	: 01-Mar-2013
b.	No. of Beds Registered	: 20
c.	Issue Date	: 01-Jan-2026
d.	Registration Validity	: 31-Dec-2026
4	Renewal of CTF Membership (if applicable)	
a.	Renewal Date	: 31-Dec-2026
b.	No. of Beds	: 20
5	MPCB Consents (Establish/ 1 st Operator/Renewal Details)	
a.	Consent / CCA Number	: 0000173328
b.	Issue Date	: 23-Aug-2023
c.	Validity upto	: 30-Nov-2027



Authorized Signature

Name : Kamlesh S. Bharani
Designation : Partner

Note: HCE shall display a copy of Registration Certificate at front Desk and Temporary BMW storage area.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0721-2563593
Fax: 0721-2563597
Website: <http://mpcb.gov.in>
Email:
sroamravati1@mpcb.gov.in



Sahkar Surbhi Bapatwadi,
Near Vivekanand Colony,
Amravati- 444606

ORANGE/
No:- Format1.0/SRO/UAN No.0000173328/CO/2308001583

Date: 23/08/2023

To,
M/s. Dr Hedgewar Institute of Medical Sciences & Research
1st Floor Vasudev Saraswati Sankul,
Mudholkar Peth corner, Near Flyover,
Badnera Road, Amravati-444601
Email:dhimsr@gmail.com
Contact No.:9323980762



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. MPCB-CONSENT-0000173328 dated 09/06/2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **30-06-2023 To 30-11-2027**
2. The capital investment of the HCF is **₹33.02 Lakhs** (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 290.00 M² with Built-up area 245.00 M².
4. **Activities Included**
 - i. Total Number of Beds : **20 Nos.** (As per BNH certificate no. AMCPHDFWNH2392022 valid upto 31-03-2025)
 - I. General Beds : **13 Nos**
 - II. Operation Theatre : **2 Nos**
 - III. Maternity Beds : **5 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0721-2563593
Fax: 0721-2563597
Website: <http://mpcb.gov.in>
Email:
sroamravati1@mpcb.gov.in



Sahkar Surbhi Bapatwadi,
Near Vivekanand Colony,
Amravati- 444606

ORANGE/
No:- Format1.0/SRO/UAN No.0000171891/CO/2308000270

Date: 03/08/2023

To,
M/s. Manas Hospital
Congress Nagar Road,
Joglekar Plot, Amravati,
Ta. & Dist. Amravati-444606
Email:drshrikant.deshmukh@gmail.com
Contact No.:9823046036



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization vide no.MPCB-CONSENT-0000171891 dated 19/06/2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedule(I-IV) and Annexure (I-III) enclosed in this order.

1. This CCA shall be in force for a period From 25-05-2023 To 30-06-2024
2. The capital investment of the HCF is ₹328.28 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 6758.00 M² with Built-up area 3000.00 M².
4. Activities Included
 - a. Total Number of Beds : 12 Nos. (As per BNH certificate no. 12 valid upto 31-03-2020)
 - i. General Beds : 6 Nos
 - ii. Other Beds : 6 Nos
5. Conditions under the Water (P&CP) Act, 1974:-
 1. Quantity of total water consumption shall not exceed 2 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in Annexure-I
 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
6. Conditions under the Air (P&CP) Act, 1981:-



MAHARASHTRA STATE MENTAL HEALTH AUTHORITY
(MSMHA)

Form-F

[See rule 66]

CERTIFICATE OF PERMANENT REGISTRATION OF MENTAL
HEALTH ESTABLISHMENT

The Maharashtra State Mental Health Authority, after considering the application under section 65 (2) or section 66 (3) or section 66(10) or section 66 (17) of the Mental Healthcare Act, 2017, hereby accords Permanent Registration to the applicant mental health establishment in terms of section 66 (4) or section 66 (11), or section (17) as per the details given hereunder:

Name: - Dr. Shrikant Deshmukh

Address: - Manas Clinic's Baba Punarvasan Kendra Congress Nagar Jogalokar
Plot Amravati

No of beds: - 100

Permanent Registration Certificate No.77/2023

The Permanent registration certificate No.77/2023 issued, is subject to the conditions laid down in the Mental Healthcare Act, 2017 and the rules and regulations made there under.

Place: Mumbai

Date: 10/1/2024


Registration Authority
(MSMHA)

Seal of the Registration Authority



महाराष्ट्र राज्य मानसिक आरोग्य प्राधिकरण

प्राधिकरण, आरोग्य भवन, ७वा मजला, पी.डिमेलो रोड, फोर्ट, मुंबई

E-mail : smhamaharashtra@gmail.com

संदर्भ :

श्री. मिलिंद मैसकर, (भा.प्र.से.)
अध्यक्ष,
राज्य मानसिक आरोग्य प्राधिकरण

डॉ. स्वप्निल लाळे
मुख्य कार्यकारी अधिकारी,
राज्य मानसिक आरोग्य प्राधिकरण

सहस्रारेड, सत्तां, न्यूज विभाग
मंत्रालय मुंबई

जातक क्र. १ - २
दिनांक : ०१/०१/२०२४

सहस्रारेड, न्यूज विभाग
मंत्रालय मुंबई

सहस्रारेड विभाग व
क्र. नं. १०१

नोंदिकूती विभाग मुंबई,
जो.स.सी. नं. १०१

कैचमीट जधारक ग्रा.न.रु. ठापे

डॉ. राजेश रेडे

डॉ. रमेश जांडे

डॉ. रमेश राजा

डॉ. रिता शेटे

डॉ. रिता शेटे

डॉ. रिता शेटे

डॉ. रिता शेटे

श्री. अंकित चूहास तरोडे

प्रति,
डॉ. श्रीकांत देशमुख
मानस विलनिक संचालित बाबा पुनर्वसन केंद्र
कॉग्रेस नगर रोड, जोगळेकर प्लॉट अमरावती

विषय - मानसिक आरोग्य कायदा-२०१७ अन्वये नोंदणी देण्याबाबत.

उपरोक्त विषयाच्या अनुषंगाने आपणास कळविण्यात येते की, मानसिक आरोग्य कायदा-२०१७ मधील विहीत केलेल्या अटी व शर्तीच्या अधिन राहून आपले मानस विलनिक संचालित बाबा पुनर्वसन केंद्र कॉग्रेस नगर रोड, जोगळेकर प्लॉट अमरावती चा परवाना मंजूर करण्यात आला आहे.

यास्तव, आपणास असेही कळविण्यात येते की, मानसिक आरोग्य कायदा-२०१७ मध्ये विहीत केलेल्या अटी व शर्तीचे तंतोतंत पालन करण्यात यावे.

डॉ. स्वप्निल लाळे
मुख्य कार्यकारी अधिकारी
राज्य मानसिक आरोग्य प्राधिकरण मुंबई

प्रत - जिल्हा मानसिक आरोग्य कार्यक्रम अमरावती यांना माहितीस्तव

श्री. अंकित चूहास तरोडे

AMRAVATI MUNICIPAL CORPORATION



FORM 'C'
(See Rule 5)

CERTIFICATE OF REGISTRATION UNDER SECTION 5 OF THE BOMBAY NURSING HOME REGISTRATION ACT, 1949

No. AMC/PHD/FW/NH/ 288/2023

This is to certify that Shri/Smt. Dr. Shrikant Babasaheb Deshmukh.....
has been registered under the Bombay Nursing Homes Registration Act. 1949 in
respect of Manas Clinic.....
situated at Jagtkae plot, Congress Nagar, Board, Amravati.....
and has been authorised to carry on the said nursing home.

Registration No. 288.....

Bed : 015 Maternity : Nil other Nursing Patients : 0.15 (Total fifteen Bed)

Date of registration / Renewal..... 4-10-2023.....

Place Jagtkae plot Amravati

Date of Issue of Certificate : 17-10-2023.....

This Certificate of registration shall be valid upto 31 march. 2026

Municipal Corporation, Amravati.



महाराष्ट्र राज्य के अंतर्गत अमरावती नगरी हीम
में बना एक नगरपालिका द्वारा दिलाई गई अधिकारी अधिकार
का एक नियमित विवरण यहां दर्शाया जाता है। इसका उत्तम उपयोग
करने के लिए इसका अधिकारी द्वारा दिलाया जाना चाहिए।

गुणना : अनिश्चयन व इलेक्ट्रोनिक ना हरकत प्रमाणपत्र मुदतीयमध्ये नुस्खीकरण करन घेणे बंधनकारक राहील।
अन्यथा Noc वे मुदती दिनांकासोबत या प्रमाणपत्राची वैधता संपुष्टात येईल याची नोंद घ्यावी।

Signature of the registering authority

&
Medical Officer of Health
Municipal Corporation, Amravati

17-10-2023